To save a copy, use the Submit by Email button and send a copy to your email address. | Submit by Email | Print Form

JPL

CONFINED SPACE ENTRY PERMIT

LOCATION / MANHOLE #.:	DATE AND TIME PERMIT AUTHORIZED:	ENTRY PERMIT DURATION:	NAME OF CONTRACTOR (IF APPLICABLE):	ENTRY SUPERVISOR:	CLASSIFICATION OF SPACE: ☐ PERMIT- REQUIRED CONFINED SPACE ☐ NON-PERMIT REQUIRED ☐ ALTERNATE ENTRY

PURPOSE OF ENTRY	ANTICIPATED HAZARDS

MATERIAL PREVIOUSLY IN CONFINED SPACE	MONITORING INSTRUMENT USED	SERIAL NO.	LAST DATE OF CALIBRATION

ATMOSPHERIC CONDITIONS

(Atmospheric monitor must remain ON while the entry is taking place. Conditions must be documented every 15 minutes and initialed. Use back of form if more space is needed.)

TIME	OXYGEN % (>19.5%, <23.5%)	% OF LEL (<10%)	CO (<25ppm)	H_2S (<10ppm)	Other Toxics (PEL)	Initials

CHECKLIST

	YES	N/A		YES	N/A
*JPL Fire Dept. has been notified of this entry (including exact location and time)	☐	☐	Tripod, winch, safety harnesses, lifelines, and hoists operational	☐	☐
Monitoring equipment calibrated	☐	☐	Fire suppression equipment present, inspected and operational	☐	☐
Lockout/Tagout permit procedures completed	☐	☐	SCBA or separate rescue breathing supply present	☐	☐
Electrical equipment approved for explosive atmosphere	☐	☐	Ventilation equipment in use	☐	☐
Ground Fault Circuit Interrupters (GFI) operational	☐	☐	Special warning/caution signs posted	☐	☐
Ignition sources removed/isolated	☐	☐	Hot Work Permit (if: riveting, welding, cutting, burning, heating). Must be obtained from JPL Fire Dept.	☐	☐
Protective equipment appropriate, inspected & operational	☐	☐	Communications available, tested and operational	☐	☐

***Dispatch (4-3530) must be contacted by the Entry Supervisor prior to entry into the confined space. The exact location and time of entry must be provided to allow JPL Fire Dept. enough preparation time.**

RESCUE SYSTEMS/EQUIPMENT	COMMUNICATION DEVICES/PROCEDURES	REQUIRED PERSONAL PROTECTIVE EQUIPMENT
☐ TRIPOD	☐ RADIOS/WALKIE-TALKIES ☐ PENDANT ALARM	☐ AIR PURIFYING RESPIRATOR ☐ SAFETY GLASSES ☐ NONE
☐ HARNESS W/RETRIEVAL LINES	☐ CELLULAR PHONE ☐ HAND SIGNALS	☐ SUPPLIED AIR RESPIRATOR ☐ SAFETY SHOES ☐ OTHER
☐ WINCH ☐ N/A	☐ HARDWIRED TELEPHONE ☐ VISUAL CONTACT	☐ SCBA ☐ HARD HAT ☐ GLOVES

SIGNATURES

	Name	Signature	Date
AUTHORIZED ENTRANT #1			
AUTHORIZED ENTRANT #2			
ATTENDANT			
ENTRY SUPERVISOR			
OCCUPATIONAL SAFETY PROGRAM OFFICE - REVIEWED BY			
JPL/WSI FIREFIGHTER			

IMPORTANT PHONE NUMBERS

EMERGENCY	911	JPL Fire Department	4-3311	Occupational Safety Program Office	3-4262
When dialing from a cell phone	(818) 393-3333	Dispatch	4-3530		

This permit is only valid for one 8-hour work shift (unless approved otherwise by the Occupational Safety Program Office). A new permit must be issued at the beginning of each shift or when conditions change. A new permit must be issued for each individual space. This permit must remain onsite at the location of the confined space entry and submitted to the Occupational Safety Program Office (M/S 200-112) immediately after the entry is completed.